

From: [Gerald Heston](#)
To: [Ron Borsellino](#); [Kathy Hodgkiss](#); [Dennis Carney](#); [Bonnie Gross](#); [Fran Burns](#); [Gerald Heston](#); [Richard Fetzer](#); [Richard Rupert](#); [Kelley Chase](#); [Ann DiDonato](#); [LaRonda Koffi](#)
Subject: Dimock Update (1430 hrs., 4/25/12)
Date: 04/25/2012 02:31 PM

No homes sampled today; no additional homes scheduled.

Site team continues to finalize other data packages in preparation for roll-out over the next several weeks.

Updated status on 16 homes from week 3: 4 follow-up appointments scheduled (2 for today), 4 have declined a meeting, messages have been left at 5 homes (4 phone, 1 email), 3 residents requested a delay in scheduling a meeting.

The 17th home from week 3 has now received their data package. Site team will schedule any follow-up visit with the homes in weeks 4 and 5.

Provision of alternate water continues to keep water tanks filled.

| Dimock Sampling Summary | | | |
|---|---------------|-----------------------|-------------------------|
| Week | Homes Sampled | Homes Receiving Water | Proposed for resampling |
| 1 | 11 | 3 | 5 |
| 2 | 20 | 0 | 3 |
| 3 | 17 | 0 | 4 |
| 4 | 9 | 1 | 2 |
| 5 | 4 | 0 | 1 |
| Totals | 61 | 4 | 15 |
| Note: Proposed for resampling includes homes receiving alternate water from EPA plus homes where one or more metals were found at concentrations near or above the trigger level established for that metal. Total number of homes to be resampled is subject to final comprehensive review of 1st round results. | | | |

Gerald T. Heston, Chief
Eastern Response Branch (3HS31)
U. S. Environmental Protection Agency - Region 3
1650 Arch Street
Philadelphia, PA 19103

Phone: 215-814-3273
Fax: 215-814-3254